**************************************	TO TRANSPORT PROTO MEAN BY MERCHAND AND AND AND AND AND AND AND AND AND	CHARGE STREET, AMERICA SERVICE
Part	CONTROL IN MONICACE STREET AND	MOTAL ALL TRICKUM HALF TO PROGRESS MOTAL ALL TRICKUM HALF TO THE CONTROLLED TO THE
Column C	AMPRIATACION IN FORTIA. APPRIATACION IN FORTI	MOTAL ALL TRICKUM HALF TO PROGRESS MOTAL ALL TRICKUM HALF TO THE CONTROLLED TO THE
1	ASPERATACIONO IN FORTA. ASPERATACIONO IN FORTA. ASPERATACIONO IN FORTA. ASPERATACIONO IN FORTA. OF PROPERTY OF THE PROPERT	LOSS OF WITHOUT AMPICE, ASSECT SOUGH. SERVICE STREET, ASSECT SOUGH, ASS
The Column	GO APPEATACHED IN PORTA. AS PERATACHED IN PORTA. CO APPEATACHED IN PORTA	MOTAL AS LINEAU REALIST MERCHANNING MERCHA
1	ASPERATACION DI FIGURA. ASPERATACIONO DI FI	SOURCE WITHOUT WHICH, ARRIVE WOOD, ARRIVE WO
Part	ASPERATACION DI POSTA. ASPERATACIONI DI POSTA. ASPERATACIONI DI POSTA. ASPERATACIONI DI POSTA. ASPERATACIONI DI POSTA. DI POSTA DI POSTA. ASPERATACIONI DI POSTA. DI POSTA DI POSTA. ASPERATACIONI DI POSTA. ASPERATACIONI DI POSTA. DI POSTA DI POSTA. ASPERATACIONI DI POSTA. DI POSTA DI POSTA. DI POSTA DI POSTA. ASPERATACIONI DI POSTA. DI POSTA DI POSTA DI POSTA DI POSTA. DI POSTA	JOHN THE WIND CHARGE ARROY PROJECT THE WIND CHARGE AND CHARGE ARROY PROJECT AND CHA
Part	ASPERATACION DI FIOTILA. ASPERATACION DI FIOTILA. DI ASPERATACIONI DI FIOTILA. DI CANTACIONI DI FIOTILI DI FI	CHEST SERVICE AND CALL AND TO MODIO. AND THE SERVICE AND CALL AND TO MODIO. AND AS SERVICE AND CALL AND THE AND
Part	AD PRAITACHED IN FORTA. AFFEATACHED IN FORTA. AFFEATACHED IN FORTA. AS PERATACHED IN FORTA. D. AS PERATACHED IN FORTA.	DISCUST WITHOUT WARREST ARROYS TO SHEET ARROYS THE SHEET ARROYS
1	ASPERATIZACIO IN PODERA. O ASPERATIZACIO IN PODERA. O ASPERATIZACIO IN PODERA. ASPERATIZACIO IN PODERA. O C	DIG DIES WENDER, ARRISE SIGNAD SEEN, ALL STRUCTURE SIGNAD ONE SIES WENDER SIGNAD ONE SIES WENDER SIGNAD ONE SIES WENDER SIGNAD ONE SIES WENDER SIGNAD SEEN, ALL STRUCTURE SIGNAD ONE SIES WENDER SIGNAD SEEN, ALL STRUCTURE SIGNAD SEEN, ALL STRUCTUR
1	DO AS PERATTACHED IN PORTAL DO	METAL ALSTRUCTURE DICLUME ROLLUME ROLL
1	IO AS PER ATTACHED IN PORTAL IO	OME SIT WITHOUT UNDERLY, AGENCY SHOULD MATERIA, ALS STREAMED EACHTY REQUIRED MATERIA, ALS STREAMED EACHTY SHOULD MATERIA, ALS STREAMED
1	AS PERATTACHED IN PORTAL 10	OMO STE WITHOUT UNDOLL, AGENCY SHOULD SECTAL ALL STRUCTURE FACULTY REQUIRED OMO STE WITHOUT UNDOLL, AGENCY SHOULD SHOTA ALL STRUCTURE FACULTY REQUIRED OMO STE WITHOUT UNDOLL, AGENCY SHOULD STEAK ALL STRUCTURE FACULTY REQUIRED OMO STE WITHOUT UNDOLL, AGENCY SHOULD SHOTA ALL STRUCTURE FACULTY REQUIRED OMO STE WITHOUT UNDOLL, AGENCY SHOULD SHOTA ALL STRUCTURE FACULTY REQUIRED OMO STEWN SHOULD SHOULD AGENCY SHOULD SHOTA ALL STRUCTURE FACULTY REQUIRED OMO STEWN SHOULD SHOULD SHOULD SHOULD OMO STEWN SHOULD SHOULD SHOULD SHOULD OMO STEWN SHOULD
15 SEAL MARKEN 1 30 SEAL MARKE	AS PERATTACHED IN PORTAL ID	INSTA. ALL STRUCTURE FACILITY REQUIRED OND SITE WITHOUT UNIPOLE, AGENCY SHOULD INSTA. ALL STRUCTURE FACILITY REQUIRED OND SITE WITHOUT UNIPOLE, AGENCY SHOULD INSTA. ALL STRUCTURE FACILITY REQUIRED OND SITE WITHOUT UNIPOLE, AGENCY SHOULD
Procedure Process Pr	AS PER ATTACHED IN PORTAL ID AS PER ATTACHED IN PORTAL ID AS PER ATTACHED IN PORTAL ID	INSTAL ALL STRUCTURE FACILITY REQUIRED OMD SITE WITHOUT UNIPOLE, AGENCY SHOULD INSTAL ALL STRUCTURE FACILITY REQUIRED OMD SITE WITHOUT UNIPOLE, AGENCY SHOULD
1	AS PERATTACHED IN PORTAL ID AS PERATTACHED IN PORTAL ID	INSTAL ALL STRUCTURE FACILITY REQUIRED OMD SITE WITHOUT UNIPOLE, AGENCY SHOULD
18 MICROSCORES SOURCE S	AS PER ATTACHED IN PORTAL ID	OND SITE WITHOUT UNIPOLE, AGENCY SHOULD INSTAL ALL STRUCTURE FACILITY REQUIRED
15	ID	
27 MICROPHICAL SERVICE SCIENCE	ID AS PER ATTACHED IN PORTAL	OMD SITE WITHOUT UNIPOLE, AGENCY SHOULD INSTAL ALL STRUCTURE FACILITY REQUIRED
21 MODIFICATION (1997) 22 MODIFICATION (1997) 23 MODIFICATION (1997) 24 MODIFICATION (1997) 25 MODIFICATION (1997) 26 MODIFICATION (1997) 26 MODIFICATION (1997) 26 MODIFICATION (1997) 27 MODIFICATION (1997) 28 MODIFICATION (1997) 29 MODIFICATION (1997) 20 MODIFICATION (1997) 21 MODIFICATION (1997)	AS PER ATTACHED IN PORTAL	OMD SITE WITHOUT UNIPOLE, AGENCY SHOULD INSTAL ALL STRUCTURE FACILITY REQUIRED OMD SITE WITHOUT UNIPOLE. AGENCY SHOULD
2. SCORDONA (MO) 1 2 3 SECONDA (MO) 1 2 1 3 SECONDA (MO) 1 3 SECONDA (MO) 1 2 1 3 SECONDA (MO) 1	ID AS PER ATTACHED IN PORTAL.	INSTAL ALL STRUCTURE FACILITY REQUIRED OND SITE WITHOUT UNIPOLE, AGENCY SHOULD
23 VSHOUNAGER MOD) 1 1 00 https://doi.org/10.00074 12362 17600.0074 MGGH2034(5)2 MG	AS PER ATTACHED IN PORTAL	INSTAL ALL STRUCTURE FACILITY REQUIRED
Parties 1 24 COLUMN 12.501 PROLUM 12.501 PROLUM 12.501 PROLUM 12.501 14.03 12.00 14.03 14.03 14.03 14.03 14.03 14.03 14.03 14.03 14.03 14.03 14.03 14.03 14.03 14.03 14.03 14.03 14.03 14.03	AS PER ATTACHED IN PORTAL	OMD SITE WITHOUT UNIPOLE, AGENCY SHOULD INSTAL ALL STRUCTURE FACILITY REQUIRED OMD SITE WITHOUT UNIPOLE, AGENCY SHOULD
PARKET STORY PARK	AS PER ATTACHED IN PORTAL	OMD SITE WITHOUT UNIPOLE, AGENCY SHOULD INSTAL ALL STRUCTURE FACILITY REQUIRED OMD SITE WITHOUT UNIPOLE, AGENCY SHOULD INSTAL ALL STRUCTURE FACILITY REQUIRED
27 CODA) 1 1 1 10 10 10 10 10 10 10 10 10 10 10	AS PER ATTACHED IN PORTAL	
NOTIFIED TO SHAPE A RAD IN RETWIND FOR AGAIN OF SHAPE AND	AS PER ATTACHED IN PORTAL	OND SITE WITHOUT UNIPOLE, AGENCY SHOULD INSTAL ALL STRUCTURE FACILITY REQUIRED OND SITE WITHOUT UNIPOLE, AGENCY SHOULD INSTAL ALL STRUCTURE FACILITY REQUIRED
MODERAL SAME A RAD IN RETWINING AGAINAM MOD TO ROTHER MICHIGANISH SAME A RAD IN RETWINING AGAIN MOD TO ROTHER MICHIGANISH SAME A RAD IN RETWINING AGAIN MOD TO ROTHER MICHIGANISH SAME A RAD IN RETWINING AGAIN MOD TO ROTHER MICHIGANISH SAME A RAD IN RETWINING AGAIN MOD TO ROTHER MICHIGAN MOD TO ROTHER MOD	AS PER ATTACHED IN PORTAL	INSTAL ALL STRUCTURE FACILITY REQUIRED OND SITE WITHOUT UNIPOLE, AGENCY SHOULD INSTAL ALL STRUCTURE FACILITY REQUIRED
2 MCC/0502/87 - COMMA: MARKM MOD (INSTRUMENS/MARK, OCHINA IN TO) 3 35 MEMORY MARKM MODIFICATION MARK MARK MODIFICATION	AS PER ATTACHED IN PORTAL ID	OMD SITE WITHOUT LINIPOLE, AGENCY SHOULD INSTAL ALL STRUCTURE FACILITY REQUIRED
29 NOCIDITION SOME MAN BOOK DEPTITION TO FORCE AND ASSESSMENT OF THE PROPERTY	AS PER ATTACHED IN PORTAL ID	OMD SITE WITHOUT UNIPOLE, AGENCY SHOULD INSTAL ALL STRUCTURE FACILITY REQUIRED
NCC/(02/04/6-2/04/04-MAMAM MADE) (NETWERT/VERMA/VERMA/CHORE A: 3 27 transformation 12354 TP00.0014 MCG/(02/04/6-2/04/04-MAMAM MADE) (NETWERT/VERMA/VERMA/CHORE A: 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	AS PER ATTACHED IN PORTAL ID	OMD SITE WITHOUT UNIPOLE, AGENCY SHOULD INSTAL ALL STRUCTURE FACILITY REQUIRED
22 TO MICHINE COLORISON 1 2 20 November (2015) 1 2 20 November (2015) 1 1 1 20 November (2015) 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	AS PER ATTACHED IN PORTAL ID AS PER ATTACHED IN PORTAL	OMD SITE WITHOUT UNIPOLE, AGENCY SHOULD INSTAL ALL STRUCTURE FACILITY REQUIRED OMD SITE WITHOUT UNIPOLE, AGENCY SHOULD
ORANALE TO ROOM ORANAL	AS PER ATTACHED IN PORTAL	INSTAL ALL STRUCTURE FACILITY REQUIRED OMD SITE WITHOUT UNIPOLE, AGENCY SHOULD
MINICAL TO ADMINISTRATION OF THE PROPERTY OF T	AS PER ATTACHED IN PORTAL	INSTAL ALL STRUCTURE FACILITY REQUIRED OMD SITE WITHOUT UNIPOLE, AGENCY SHOULD
57 SECONOMINATORIA (SECONDA MANUM ROC) (SETIOGRA MA	AS PER ATTACHED IN PORTAL	INSTAL ALL STRUCTURE FACILITY REQUIRED OMD SITE WITHOUT UNIPOLE, AGENCY SHOULD
MCG/DIA/SH-COMMA-MANUM ROLD (IN RETWIND MANUM COLDING TO N. MCG/DIA/SH-COMMA-MANUM ROLD (IN RETWIND MANUM COLD (I	AS PER ATTACHED IN PORTAL	INSTAL ALL STRUCTURE FACILITY REQUIRED OMD SITE WITHOUT UNIPOLE, AGENCY SHOULD
MCCO/DIDA(NOT-COMMA-MANAM DICE) (NETHERD RANGEM COMMA-DECIDING TO BET 1	AS PER ATTACHED IN PORTAL	INSTAL ALL STRUCTURE FACILITY REQUIRED OND SITE WITHOUT UNIPOLE, AGENCY SHOULD INSTAL ALL STRUCTURE FACILITY REQUIRED
9 MODIFIED COMM. MANUM ROLE (IN THYRITER FIGS. TO INC. LINE) 2 1 MoDIFIED MODIFIED (IN THE COMP.) 2 1 MoDIFIED	AS PER ATTACHED IN PORTAL	OND SITE WITHOUT UNIPOLE, AGENCY SHOULD INSTAL ALL STRUCTURE FAGUITY REQUIRED
4 15 http://docs/doi.org/10/10/10/10/10/10/10/10/10/10/10/10/10/	AS PER ATTACHED IN PORTAL	OMD SITE WITHOUT UNIPOLE, AGENCY SHOULD INSTAL ALL STRUCTURE FACILITY REQUIRED
4 WOO/DRIVES ON EAST DIAMASK COMER TO MARKE COMER TO A 11 INSTALL INS	AS PER ATTACHED IN PORTAL	OMD SITE WITHOUT UNIPOLE, AGENCY SHOULD INSTAL ALL STRUCTURE FACULTY REQUIRED
4 I I I I I I I I I I I I I I I I I I I	AS PER ATTACHED IN PORTAL ID	OMD SITE WITHOUT UNIPOLE, AGENCY SHOULD INSTAL ALL STRUCTURE FACILITY REQUIRED
4 8 1 1000 (100 to 100	AS PER ATTACHED IN PORTAL ID	OND SITE WITHOUT UNIPOLE, AGENCY SHOULD INSTAL ALL STRUCTURE FAGLITY REQUIRED
4 6 100-000-000-000-000-000-000-000-000-000	AS PER ATTACHED IN PORTAL ID	OND SITE WITHOUT UNIPOLE, AGENCY SHOULD INSTAL ALL STRUCTURE FAGLITY REQUIRED
4 MORRISON ON A TOOL MAKEMORD AND TOOL MAKEMORD	AS PER ATTACHED IN PORTAL ID	OMD SITE WITHOUT UNIPOLE, AGENCY SHOULD INSTAL ALL STRUCTURE FAGLITY REQUIRED
4 WOODBERT-ONLEGE/DRIVER A TOOL MAKEMBERG AND 4 8 9 WOODBERT-ONLEGE/DRIVER A TOOL MAKEMBERG AND 4 8 9 WOODBERT-ONLEGE/DRIVER AND 4 9 WOODBERG AND 4 4 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	AS PER ATTACHED IN PORTAL ID	OMD SITE WITHOUT UNIPOLE, AGENCY SHOULD INSTAL ALL STRUCTURE FACILITY REQUIRED
- SCORDERGE SOMM-AND REGIONAL TOWNSHIP COMPANY AND THE SOME THE SO	AS PER ATTACHED IN PORTAL ID	OMD SITE WITHOUT UNIPOLE, AGENCY SHOULD INSTAL ALL STRUCTURE FACILITY REQUIRED
MCC/0204/05 - COMMA- NO FAXED (PHICTER MAY COMMA TO REALISM FORCE 4 6	AS PER ATTACHED IN PORTAL ID	OMD SITE WITHOUT UNIPOLE, AGENCY SHOULD INSTAL ALL STRUCTURE FACILITY REQUIRED
4 4 http://perspirespirespirespirespirespirespiresp	AS PER ATTACHED IN PORTAL ID	OMD SITE WITHOUT UNIPOLE, AGENCY SHOULD INSTAL ALL STRUCTURE FACILITY REQUIRED
59 4 this rise of the control of the	AS PER ATTACHED IN PORTAL ID	OMD SITE WITHOUT UNIPOLE, AGENCY SHOULD INSTAL ALL STRUCTURE FACILITY REQUIRED
\$1 \\ \$1.000.00046.5-\(GOMA-NO-NO-NO-NO-NO-NO-NO-NO-NO-NO-NO-NO-NO-	AS PER ATTACHED IN PORTAL ID AS PER ATTACHED IN PORTAL	OMD SITE WITHOUT UNIPOLE, AGENCY SHOULD INSTAL ALL STRUCTURE FACILITY REQUIRED OMD SITE WITHOUT UNIPOLE, AGENCY SHOULD
25 1 4 4 100,000 100,0	AS PER ATTACHED IN PORTAL ID AS PER ATTACHED IN PORTAL	OMD SITE WITHOUT UNIPOLE, AGENCY SHOULD INSTAL ALL STRUCTURE FACILITY REQUIRED OMD SITE WITHOUT UNIPOLE, AGENCY SHOULD
51) 4 4 bitter (free or the mode) (1995) (1	AS PER ATTACHED IN PORTAL ID AS PER ATTACHED IN PORTAL	INSTAL ALL STRUCTURE FACILITY REQUIRED
54 4 6 12331 1790.000	AS PER ATTACHED IN PORTAL	OMD SITE WITHOUT LINIPOLE, AGENCY SHOULD INSTAL ALL STRUCTURE FACILITY REQUIRED OMD SITE WITHOUT LINIPOLE, AGENCY SHOULD INSTAL ALL STRUCTURE FACILITY REQUIRED
NEGRIFICAÇÃOS - CONMAN-AND RICHO (REP PASS SANDO AL TO MACIANT) A A Inversión primo	AS PER ATTACHED IN PORTAL	OMD SITE WITHOUT UNIPOLE, AGENCY SHOULD
MCG/CDE/USE-COMAN-MORRORO (FET FACE NOW IN TO MC USET) 1778 1778 1779	AS PER ATTACHED IN PORTAL	OMD SITE WITHOUT UNIPOLE, AGENCY SHOULD
MCG/CSUATY-COMMA MACIA MCG/CAMMI COMPLIA TO MAIRW	AS PER ATTACHED IN PORTAL	INSTAL ALL STRUCTURE FACILITY REQUIRED OMD SITE WITHOUT UNIPOLE, AGENCY SHOULD INSTAL ALL STRUCTURE FACILITY REQUIRED
MCG/DIA/671 - CORMA-MARION RODO (NAME) CORMA TO DANIEW 15 MILITORY 17 MILITORY	AS PER ATTACHED IN PORTAL	OMD SITE WITHOUT UNIPOLE, AGENCY SHOULD
	AS PER ATTACHED IN PORTAL	INSTAL ALL STRUCTURE FACILITY REQUIRED OMD SITE WITHOUT UNIPOLE, AGENCY SHOULD INSTAL ALL STRUCTURE FACILITY REQUIRED
MCGI/CDM-Q77 - COMMA BANCOM KING (NUMBO CHOWN IN TO PRIZE M 51 OSCINIARY 1 1 1 1 1 1 1 1 1	AS PER ATTACHED IN PORTAL ID	OND SITE WITHOUT UNIPOLE, AGENCY SHOULD INSTAL ALL STRUCTURE FACILITY REQUIRED
1 CCD (2004) (274 - COMMAN AMADDA (UNA MICH CHOWNER TO MARKEY D MA	AS PER ATTACHED IN PORTAL ID	OND SITE WITHOUT UNIPOLE, AGENCY SHOULD INSTAL ALL STRUCTURE FACILITY REQUIRED
MCC /2004 071-CONMAN-MANDON (MANINEY CODESING TO DEF PASS RANG) 2 1	AS PER ATTACHED IN PORTAL ID	OMD SITE WITHOUT UNIPOLE, AGENCY SHOULD INSTAL ALL STRUCTURE FACILITY REQUIRED
4 K2 (2007/00/01/19 COURSE AND/OR (CO) (ENGINE Y COCKING TO BET FIRST BOOK) 2 2 2 (Marchine Allowate COCKING TO BET FIRST BOOK) 2 2 2 (Marchine Allowate COCKING TO BET FIRST BOOK) 3 (Marchine Allowate COCKING TO BET FIRST	AS PER ATTACHED IN PORTAL ID	OMD SITE WITHOUT UNIPOLE, AGENCY SHOULD INSTAL ALL STRUCTURE FACULTY REQUIRED
85 R) 22 1 1 100 (100 (100 (100 (100 (100 (10	AS PER ATTACHED IN PORTAL ID	OMD SITE WITHOUT UNIPOLE, AGENCY SHOULD INSTAL ALL STRUCTURE FACULTY REQUIRED
66 MCGP/DIANGHT-COMMA-AMDION KIND (DIFFMSSMOLD IN TOM/CIMINT) 2 2 2 Metho (from all from all most Ambigines Ambigine	AS PER ATTACHED IN PORTAL ID	OND SITE WITHOUT UNIPOLE, AGENCY SHOULD INSTAL ALL STRUCTURE FACULTY REQUIRED
2 1 http://doi.org/10.14/079-COMMA-MANDER MANDER MA	AS PER ATTACHED IN PORTAL ID	OMD SITE WITHOUT UNIPOLE, AGENCY SHOULD INSTAL ALL STRUCTURE FAGLITY REQUIRED
64 9 https://gen.com/2004/080-MAGIL/PORADO PARRAT CHARGE TO CORNAC	AS PER ATTACHED IN PORTAL ID	OMD SITE WITHOUT UNIPOLE, AGENCY SHOULD INSTAL ALL STRUCTURE FACILITY REQUIRED
69 NCC(()/DEM_CRES - MACQUI/DEM_CRES (OR DEM_CRES TO DOMENT CHEMIC TO DOME	AS PER ATTACHED IN PORTAL ID	OMD SITE WITHOUT UNIPOLE, AGENCY SHOULD INSTAL ALL STRUCTURE FAGLITY REQUIRED
9 MCG/(DDI-NGCU-MAGUU-MA	AS PER ATTACHED IN PORTAL ID	OMD SITE WITHOUT UNIPOLE, AGENCY SHOULD INSTAL ALL STRUCTURE FACILITY REQUIRED
21 15 1000/(2014)(AS PER ATTACHED IN PORTAL ID	OMD SITE WITHOUT UNIPOLE, AGENCY SHOULD INSTAL ALL STRUCTURE FACILITY REQUIRED
VEX. COLUMN 20 COLUMN 2 15 COLUMN 2 15 COLUMN 2 15 COLUMN 2 15 COLUMN 2 2333 TPOLOGY VEX. COLUMN 20 COLUMN 2	AS PER ATTACHED IN PORTAL ID	OND SITE WITHOUT UNIPOLE, AGENCY SHOULD INSTAL ALL STRUCTURE FACILITY REQUIRED
73 2 1 temphrational 12312 PROCESS (MILES AND ADMINISTRATION AND ADMIN	AS PER ATTACHED IN PORTAL ID	OMD SITE WITHOUT UNIPOLE, AGENCY SHOULD INSTAL ALL STRUCTURE FACILITY REQUIRED
2 1 Manuface distribution (1997) 1997 (199	AS PER ATTACHED IN PORTAL ID	OMD SITE WITHOUT UNIPOLE, AGENCY SHOULD INSTAL ALL STRUCTURE FAGLITY REQUIRED
NCON/COLUMN TO BRIGH SECUL (NAME AND AS TO BARGO, ROOM A) 2 1	AS PER ATTACHED IN PORTAL ID	OMD SITE WITHOUT UNIPOLE, AGENCY SHOULD INSTAL ALL STRUCTURE FACILITY REQUIRED

76	MCGH/2024/088 - BYEPASS ROAD (MAHAM ROAD IN: TO BARDDA ROAD IN.)	2	1	https://goo.gl/maps/SibSfeZnQpvSHGXwS	12309	TYPOLOGY-B	MCGH/2024/088	DOUBLE SIDE ROAD	UNIPOLE (PARALLEL TO ROAD SIDE FACE)	4.6 X 3.05	14.03	10000	11962	239	1356	12083	AS PER ATTACHED IN PORTAL	OND SITE WITHOUT UNIPOLE, AGENCY SHOULD
77	MCGH/2024/089 - BYEPASS ROAD (BARDDA ROAD IN. TO MAHAM ROAD IN.)	2	1	https://eco.el/maps/nhCoHydra6TE754V6	12308	TYPOLOGY-B	MCGH/2024/089	(PARALLEL TO ROW)	UNIPOLE (PARALLEL TO ROAD SIDE FACE)	4.6 X 3.05	14.03	10000	11962	239	1356	12083	AS PER ATTACHED IN PORTAL	INSTAL ALL STRUCTURE FACILITY REQUIRED OMD SITE WITHOUT UNIPOLE, AGENCY SHOULD
-	MCGH/2024/090 - BYEPASS ROAD (BARDOA ROAD IN. TO MAHAM ROAD IN.)		-					(PARALLEL TO ROW)	UNIPOLE (PARALLEL TO ROAD								AS PER ATTACHED IN PORTAL	INSTAL ALL STRUCTURE FACILITY REQUIRED OND SITE WITHOUT UNIPOLE, AGENCY SHOULD
78	MCGH/2024/091 - BYEPASS ROAD I BARDDA ROAD IN TO MAHAM ROAD IN 1	2	1	https://goo.gl/mags/P1SarghMActOgddill.	12307	TYPOLOGY-B	MCGH/2024/090	(PARALLEL TO ROW)	SIDE FACE) UNIPOLE (PARALLEL TO ROAD	4.6 X 3.05	14.03	10000	11962	239	1356	12083	AS PER ATTACHED IN PORTAL	INSTAL ALL STRUCTURE FACILITY REQUIRED OND SITE WITHOUT UNIPOLE, AGENCY SHOULD
79	NCGH/2024/992 - BYEPASS ROAD I BARDDA ROAD IN: TO MAHAM ROAD IN: 1	2	1	https://goo.gl/maps/kDSDRB/us/RbTxX7	12306	TYPOLOGY-8	MCGH/2024/091	(PARALLEL TO ROW)	SIDE FACE)	4.6 X 3.05	14.03	10000	11962	239	1156	12083	ID	INSTAL ALL STRUCTURE FACILITY REQUIRED
80		2	1	https://goo.gl/maps/bMtw/ki/hCmgWmAWKDB	12305	TYPOLOGY-B	MCGH/2024/092	(PARALLEL TO ROW)	UNIPOLE (PARALLEL TO ROAD SIDE FACE)	4.6 X 3.05	14.03	10000	11962	239	1356	12083	AS PER ATTACHED IN PORTAL ID	OMD SITE WITHOUT UNIPOLE, AGENCY SHOULD INSTAL ALL STRUCTURE FACILITY REQUIRED
81	MCGH/2024/093 - BYEPASS ROAD (BARDDA RDAD IN. TO JIND ROAD IN.)	1	2	https://goo.gl/mags/sFWtshifNPO(EE159	12304	TYPOLOGY-B	MCGH/2024/093	DOUBLE SIDE ROAD (PARALLEL TO ROW)	UNIPOLE (PARALLEL TO ROAD SIDE FACE)	4.6 X 3.05	14.03	10000	11962	239	1356	12083	AS PER ATTACHED IN PORTAL ID	OMD SITE WITHOUT UNIPOLE, AGENCY SHOULD INSTAL ALL STRUCTURE FACILITY REQUIRED
82	MCGH/2024/094 - BYEPASS RDAD (BARDDA RDAD JN. TO JIND ROAD JN.)	3	2	https://goo.gl/maps/s2l2mlaH9Xbs228NA	12303	TYPOLOGY-B	MCGH/2024/094	DOUBLE SIDE ROAD	UNIPOLE (PARALLEL TO ROAD SIDE FACE)	4.6 X 3.05	14.03	10000	11962	239	1356	12083	AS PER ATTACHED IN PORTAL	OMD SITE WITHOUT UNIPOLE, AGENCY SHOULD
83	MCGH/2024/095 - BYEPASS ROAD (BARDDA ROAD JN. TO JIND ROAD JN.)	3	2	https://eoo.et/mag/c@M4ICW/PGdCtcBB	12302	TYPOLOGY-B	MCGH/2024/095	DOUBLE SIDE ROAD	UNIPOLE (PARALLEL TO ROAD SIDE FACE)	4.6 X 3.05	14.03	10000	11962	239	1154	12083	AS PER ATTACHED IN PORTAL	OMD SITE WITHOUT UNIPOLE, AGENCY SHOULD
84	MCGH/2024/096 - BYEPASS ROAD (BARDDA ROAD IN. TO JIND ROAD IN.)	1	4		12301			(PARALLEL TO ROW) DOUBLE SIDE ROAD	UNIPOLE (PARALLEL TO ROAD	4.6 X 3.05	14.03	10000	11962	239	1356	12083	AS PER ATTACHED IN PORTAL	OMD SITE WITHOUT UNIPOLE, AGENCY SHOULD
_	MCGH/2024/997 - BYEPASS ROAD (BARDDA ROAD IN. TO JIND ROAD IN.)		-	https://goo.gl/mags/inf1]67fufW38Nin8.		TYPOLOGY-B	MCGH/2024/096	(PARALLEL TO ROW)	SIDE FACE) UNIPOLE (PARALLEL TO ROAD			10000					ID	INSTAL ALL STRUCTURE FACILITY REQUIRED
85		3	4	https://goo.gl/maps/8TBBEkKBdjAV4tSP9	12300	TYPOLOGY-8	MCGH/2024/097	DOUBLE SIDE ROAD (PARALLEL TO ROW)	SIDE FACE)	4.6 X 3.05	14.03	10000	11962	239	1354	12083	AS PER ATTACHED IN PORTAL ID	OMD SITE WITHOUT UNIPOLE, AGENCY SHOULD INSTAL ALL STRUCTURE FACILITY REQUIRED
86	MCGH/2024/098 - BYEPASS ROAD (BARDDA ROAD JN. TO JIND ROAD JN.)	3	4	https://goo.pl/maps/kSdDonUUldkal.gozil.	12299	TYPOLOGY-B	MCGH/2024/098	DOUBLE SIDE ROAD (PARALLEL TO ROW)	UNIPOLE (PARALLEL TO ROAD SIDE FACE)	4.6 X 3.05	14.03	10000	11962	239	1356	12083	AS PER ATTACHED IN PORTAL ID	OMD SITE WITHOUT UNIPOLE, AGENCY SHOULD INSTAL ALL STRUCTURE FACILITY REQUIRED
87	MCGH/2024/099 - BYEPASS ROAD (JIND ROAD JN. TO BARDDA ROAD JN.)	1	4	https://goo.el/maps/gXHDxbG17yLeHSbG	12298	TYPOLOGY-B	MCGH/2024/099	DOUBLE SIDE ROAD (PARALLEL TO ROW)	UNIPOLE (PARALLEL TO ROAD SIDE FACE)	4.6 X 3.05	14.03	10000	11962	239	1356	12083	AS PER ATTACHED IN PORTAL ID	OMD SITE WITHOUT UNIPOLE, AGENCY SHOULD INSTAL ALL STRUCTURE FACILITY REQUIRED
88	MCGH/2024/100 - BYEPASS ROAD (HIND ROAD IN: TO BARDDA ROAD IN:)	1	4	https://eco.gl/maps/k1/TLSZsTtja4Mkw/L	12297	TYPOLOGY-B	MCGH/2024/100	DOUBLE SIDE ROAD (PARALLEL TO ROW)	UNIPOLE (PARALLEL TO ROAD SIDE FACE)	4.6 X 3.05	14.03	10000	11962	239	1356	12083	AS PER ATTACHED IN PORTAL	OND SITE WITHOUT UNIPOLE, AGENCY SHOULD INSTAL ALL STRUCTURE FACULTY REQUIRED
89	MCGH/2024/101 - BYEPASS ROAD (JIND ROAD JN. TO BARDDA ROAD JN.)	1	4	https://eoo.el/mags/eu2hieHRtsKOdiaKG	12296	TYPOLOGY-B	MCGH/2024/101	DOUBLE SIDE ROAD	UNIPOLE (PARALLEL TO ROAD SIDE FACE)	4.6 X 3.05	14.03	10000	11962	239	1154	12083	AS PER ATTACHED IN PORTAL	OMD SITE WITHOUT UNIPOLE, AGENCY SHOULD
90	MCGH/2024/102 - BYEPASS ROAD (JIND ROAD JN. TO BARODA ROAD JN.)	,	2		12295	TYPOLOGY-B	MCGH/2024/102	(PARALLEL TO ROW)	UNIPOLE (PARALLEL TO ROAD SIDE FACE)	4.6 X 3.05	14.03	10000	11962	239	1356	12083	AS PER ATTACHED IN PORTAL	INSTAL ALL STRUCTURE FACILITY REQUIRED OMD SITE WITHOUT UNIPOLE, AGENCY SHOULD
_	MCGH/2024/201 - BYEPASS ROAD (JIND ROAD JN. TO BARDDA ROAD JN.)	-	-	MIGHT/SEG EMISSIONHI SNIVEZNICA				(PARALLEL TO ROW)	UNIPOLE (PARALLEL TO ROAD								AS PER ATTACHED IN PORTAL	INSTAL ALL STRUCTURE FACILITY REQUIRED OND SITE WITHOUT UNIPOLE, AGENCY SHOULD
91	MCGH/Z024/104 - BYEPASS ROAD (JIND ROAD JN. TO BARDDA ROAD JN.)	1	2	https://goo.pl/maps/2VBsAZVIrsUGeUasS	12294	TYPOLOGY-8	MCGH/2024/103	(PARALLEL TO ROW)	SIDE FACE) UNIPOLE (PARALLEL TO ROAD	4.6 X 3.05	14.03	10000	11962	239	1156	12083	ID	INSTAL ALL STRUCTURE FACILITY REQUIRED
92		3	2	https://goo.gl/maps/1vW8sUp88AAhfu4q7	12293	TYPOLOGY-B	MCGH/2024/104	DOUBLE SIDE ROAD (PARALLEL TO ROW)	SIDE FACE)	4.6 X 3.05	14.03	10000	11962	239	1354	12083	AS PER ATTACHED IN PORTAL ID	OMD SITE WITHOUT UNIPOLE, AGENCY SHOULD INSTAL ALL STRUCTURE FACILITY REQUIRED
93	MCGH/2024/105 - GDHANA-MAHMUDPUR ROAD (JIND ROAD JN. TO MC LIMIT)	4	5	https://goo.gl/mags/12s0PEx1q1dFClcSA	12292	TYPOLOGY-B	MCGH/2024/105	SINGLE SIDE ROAD (PARALLEL TO ROW)	UNIPOLE (PARALLEL TO ROAD SIDE FACE)	4.6 X 3.05	14.03	11000	13158	263	1692	13292	AS PER ATTACHED IN PORTAL ID	OMD SITE WITHOUT UNIPOLE, AGENCY SHOULD INSTAL ALL STRUCTURE FACILITY REQUIRED
94	MCGH/2024/105 - GOHANA-MAHMUOPUR ROAD (SIND ROAD IN: TO MC LIMIT)	4	5	https://goo.pl/mags/PNFEcqGTZ9u//aES9	12291	TYPOLOGY-B	MCGH/2024/106	SINGLE SIDE ROAD	UNIPOLE (PARALLEL TO ROAD SIDE FACE)	4.6 X 3.05	14.03	11000	13158	263	1692	13292	AS PER ATTACHED IN PORTAL	OMD SITE WITHOUT UNIPOLE, AGENCY SHOULD INSTAL ALL STRUCTURE FACILITY REQUIRED
95	MCGH/2024/107 - GOHANA-MAHMUDPUR ROAD (JIND ROAD IN. TO MC LIMIT)	4	5	https://goo.gl/maps/85UbylA49qcdWXx57	12290	TYPOLOGY-8	MCGH/2024/107	SINGLE SIDE ROAD	UNIPOLE (PARALLEL TO ROAD SIDE FACE)	4.6×1.05	14.03	11000	13158	263	1692	13292	AS PER ATTACHED IN PORTAL	OMD SITE WITHOUT UNIPOLE, AGENCY SHOULD
95	MCGH/2024/108 - GOHANA-MAHMUOPUR ROAD (8ND ROAD IN: TO MC LIMIT)		_				MCGH/2024/108	(PARALLEL TO ROW) SINGLE SIDE ROAD	UNIPOLE (PARALLEL TO ROAD						1692		AS PER ATTACHED IN PORTAL	OND SITE WITHOUT UNIPOLE, AGENCY SHOULD
_	MCGH/2024/109 - GDNANA-MAHMUDPUR RDAD (JIND RDAD IN: TO MC LIMIT)	4	5	ettit vess perusyldas MRE En/REARE	12289	TYPOLOGY-B		(PARALLEL TO ROW)	UNIPOLE (PARALLEL TO ROAD	4.6 X 3.05	14.03	11000	13158	761		1.012	ID	OMD SITE WITHOUT UNIPOLE, AGENCY SHOULD INSTAL ALL STRUCTURE FACILITY REQUIRED
97		4	5	https://goo.el/maps/MoF242Le/LLshPY7	12288	TYPOLOGY-B	MCGH/2024/109	(PARALLEL TO ROW)	SIDE FACE)	4.6 X 3.05	14.03	11000	13158	263	1692	13292	AS PER ATTACHED IN PORTAL ID	OMD SITE WITHOUT UNIPOLE, AGENCY SHOULD INSTAL ALL STRUCTURE FACILITY REQUIRED
98	MCGH/2024/110 - GUDHA ROAD (MAHAM ROAD IN: TO GUDHA VILLAGE)	2	23	https://goo.gl/maps/pokX15L3ermQpYch/3	12287	TYPOLOGY-B	MCGH/2024/110	SINGLE SIDE ROAD (PARALLEL TO ROW)	UNIPOLE (PARALLEL TO ROAD SIDE FACE)	4.6 X 3.05	14.03	18000	21531	431	6012	21750	AS PER ATTACHED IN PORTAL ID	OMD SITE WITHOUT UNIPOLE, AGENCY SHOULD INSTAL ALL STRUCTURE FACILITY REQUIRED
99	MCGH/2024/112 - GUDHA ROAD (MAHAM ROAD IN: TO GUDHA VILLAGE)	2	23	https://goo.gl/maps/PEE.pdTcrayCAkZEVE	12286	TYPOLOGY-B	MCGH/2024/111	SINGLE SIDE ROAD (PARALLEL TO ROW)	UNIPOLE (PARALLEL TO ROAD SIDE FACE)	4.6 X 3.05	14.03	18000	21531	431	6042	21750	AS PER ATTACHED IN PORTAL ID	OMD SITE WITHOUT UNIPOLE, AGENCY SHOULD INSTAL ALL STRUCTURE FACILITY REQUIRED
100	MCGH/2024/112 - GUDHA ROAD (MAHAM ROAD IN: TO GUDHA VILLAGE)	2	23	https://epo.el/maps/vrBMvGSFeNkskb.DE	12285	TYPOLOGY-8	MCGH/2024/112	SINGLE SIDE ROAD (PARALLEL TO ROW)	UNIPOLE (PARALLEL TO ROAD SIDE FACE)	4.6 X 3.05	14.03	18000	21531	431	6012	21750	AS PER ATTACHED IN PORTAL ID	OMD SITE WITHOUT UNIPOLE, AGENCY SHOULD INSTAL ALL STRUCTURE FACILITY REQUIRED
101	MCGH/2024/113 - GUDHA ROAD (MAHAMI ROAD IN TO JUN SCHOOL)	2	20	https://goo.gl/maps/ws97FyLpTWLKVUL6	12284	TYPOLOGY-B	MCGH/2024/113		UNIPOLE (PARALLEL TO ROAD SIDE FACE)	4.6 X 3.05	14.03	18000	21531	431	6042	21750	AS PER ATTACHED IN PORTAL	OMD SITE WITHOUT UNIPOLE, AGENCY SHOULD INSTAL ALL STRUCTURE FACILITY REQUIRED
102	MCGH/2024/114 - GUDHA ROAD (MAHAM ROAD IN: TO JUN SCHOOL)	2	20		12283	TYPOLOGY-B	MCGH/2024/114	SINGLE SIDE ROAD	UNIPOLE (PARALLEL TO ROAD SIDE FACE)	4.6 X 3.05	14.03	18000	21531	431	6042	21750	AS PER ATTACHED IN PORTAL	OMD SITE WITHOUT UNIPOLE, AGENCY SHOULD
-	MCGH/2024/115 - KHATIK MOHALIA ROAD (GABAJ ROAD IN. TO CIVIL ROAD IN.)		-	mine rapid given portray (Uniconstitut)				(PARALLEL TO ROW)	UNIPOLE (PARALLEL TO ROAD								AS PER ATTACHED IN PORTAL	INSTAL ALL STRUCTURE FACILITY REQUIRED OND SITE WITHOUT UNIPOLE, AGENCY SHOULD
103	MCGH/2024/116 - SECTOR - 7 MARKET PARKING IIN PARKING AREA)	1	15	https://eoo.el/maps/ctReNipelEtib3dowS	12282	TYPOLOGY-B	MCGH/2024/115	(PARALLEL TO ROW)	SIDE FACE) UNIPOLE (BOTH SIDE FACE)	4.6 X 3.05	14.03	26000	31100	622	8727	31416	ID	INSTAL ALL STRUCTURE FACILITY REQUIRED
104		2	17	https://goo.gl/maps/nirWWWAGGTKcogLE	12281	TYPOLOGY-B	MCGH/2024/116	PARKING AREA		10.0 X 5.0	50	35000	41866	837	41866	150718	AS PER ATTACHED IN PORTAL ID	OMD SITE WITHOUT UNIPOLE, AGENCY SHOULD INSTAL ALL STRUCTURE FACILITY REQUIRED
105	MCGH/2024/117 - SECTOR - 7 MARKET PARKING (IN PARKING AREA)	2	17	https://eco.et/maps/livfelksSrEthwesSGA	12280	TYPOLOGY-B	MCGH/2024/117	PARKING AREA	UNIPOLE (BOTH SIDE FACE)	10.0 X 5.0	50	35000	41866	837	41866	150718	AS PER ATTACHED IN PORTAL ID	OMD SITE WITHOUT UNIPOLE, AGENCY SHOULD INSTAL ALL STRUCTURE FACILITY REQUIRED
106	MCGH/2024/118 - SECTOR - 7 MARKET PARKING (IN PARKING AREA)	2	17	https://goo.el/maps/3V9CDCe6c0315ePar6	12279	TYPOLOGY-B	MCGH/2024/118	PARKING AREA	UNIPOLE (BOTH SIDE FACE)	10.0 X 5.0	50	35000	41866	837	41866	150718	AS PER ATTACHED IN PORTAL ID	OMD SITE WITHOUT UNIPOLE, AGENCY SHOULD INSTAL ALL STRUCTURE FACILITY REQUIRED
107	MCGH/2024/119 - SECTOR - 7 MARKET PARKING (IN PARKING AREA)	2	17	https://goo.gl/maps/EY2Xy1Saque/2GRcNA	12278	TYPOLOGY-8	MCGH/2024/119	PARKING AREA	UNIPOLE (BOTH SIDE FACE)	10.0 X 5.0	50	35000	41866	837	41866	150718	AS PER ATTACHED IN PORTAL	OMD SITE WITHOUT UNIPOLE, AGENCY SHOULD
108	MCGH/2024/120 - SECTOR - 7 MARKET PARKING (IN PARKING AREA)	2	15	https://geo.st/mans/31/2nder/2001365/Ms2	12277	TYPOLOGY-B	MCGH/2024/120	PARKING AREA	UNIPOLE (BOTH SIDE FACE)	10.0×5.0	50	35000	41866	837	41866	150718	AS PER ATTACHED IN PORTAL	OMD SITE WITHOUT UNIPOLE, AGENCY SHOULD
109	MCGH/2024/121 - SECTOR - 7 MARKET PARKING (IN PARKING AREA)	2	-		12276	TYPOLOGY-B	MCGH/2024/121		UNIPOLE (BOTH SIDE FACE)	10.0×5.0	50	35000	41866	837	41866	150718	AS PER ATTACHED IN PORTAL	OMD SITE WITHOUT UNIPOLE, AGENCY SHOULD
_	MCGH/2024/122 - OLD ANAJ MANDI (IN SIDE PARK)		15	https://goo.pl/mags/seuFUGeRNAv6hAAG				PARKING AREA	UNIPOLE (BOTH SIDE FACE)			35000				150718	ID	INSTAL ALL STRUCTURE FACILITY REQUIRED
110	MCGH/2024/123 - OLD ANAJ MANDI (IN SIDE PARK)	4	7	https://goo.gl/maps/TKByNCsqso1rtM/28	12275	TYPOLOGY-B	MCGH/2024/122	PARKING AREA	UNIPOLE (BOTH SIDE FACE)	10.0 X 5.0	50	30000	15885	718	3585	129187	AS PER ATTACHED IN PORTAL ID	OMD SITE WITHOUT UNIPOLE, AGENCY SHOULD INSTAL ALL STRUCTURE FACILITY REQUIRED
111		4	7	https://gco.gl/maps/tbipwsH5vGbGgNe9	12274	TYPOLOGY-B	MCGH/2024/123	PARK		10.0 X 5.0	50	30000	35885	718	35885	129187	AS PER ATTACHED IN PORTAL ID	OMD SITE WITHOUT UNIPOLE, AGENCY SHOULD INSTAL ALL STRUCTURE FACILITY REQUIRED
112	MCGH/2024/124 - SHAHEED MADAN LAL DHINGRA PARK (IN SIDE PARK)	4	9	https://goo.pl/maps/198pTRyMCh4kMY2A8	12273	TYPOLOGY-B	MCGH/2024/124	PARK	UNIPOLE (BOTH SIDE FACE)	10.0 X 5.0	50	17300	20694	414	20694	74498	AS PER ATTACHED IN PORTAL ID	OMD SITE WITHOUT UNIPOLE, AGENCY SHOULD INSTAL ALL STRUCTURE FACILITY REQUIRED
113	MCGH/2024/125 - SHAHEED MADAN LAL DHINGRA PARK (IN SIDE PARK)	4	,	https://goo.el/maps/sXcsMbAfoHsspRkpcA	12272	TYPOLOGY-8	MCGH/2024/125	PARK	UNIPOLE (BOTH SIDE FACE)	10.0 X 5.0	50	17300	20694	414	20694	74498	AS PER ATTACHED IN PORTAL ID	OMD SITE WITHOUT UNIPOLE, AGENCY SHOULD INSTAL ALL STRUCTURE FACILITY REQUIRED
114	MCGH/2024/126 - SWARAN JAYANTI PARK (IN SIDE PARK)	1	3	https://eop.el/maps/harU492Tc7vrWaCk7	12271	TYPOLOGY-8	MCGH/2024/126	PARK	UNIPOLE (BOTH SIDE FACE)	10.0×5.0	50	12200	14593	292	14593	52536	AS PER ATTACHED IN PORTAL	OMD SITE WITHOUT UNIPOLE, AGENCY SHOULD
115	MCGH/2024/127 - SWARAN JAYANTI PARK (IN SIDE PARK)		1	Marillan disease from Program 21 and 2	12270	TYPOLOGY-B	MCGH/2024/127	DARK	UNIPOLE (BOTH SIDE FACE)	10.0×5.0	50	12200	14593	292	14593	52536	AS PER ATTACHED IN PORTAL	OMD SITE WITHOUT UNIPOLE, AGENCY SHOULD
_	MCGH/2024/128 - SWARAN JAYANTI PARK (IN SIDE PARK)	1	-	PROCESSOR BETTARDON VICTORIA DE LA CONTRACTORIA DE					UNIPOLE (BOTH SIDE FACE)								AS PER ATTACHED IN PORTAL	INSTAL ALL STRUCTURE FACILITY REQUIRED OND SITE WITHOUT UNIPOLE, AGENCY SHOULD
116	MCGH/ZIO24/129- SWARAN JAYANTI PARK (IN SIDE PARK)	3	3	https://goo.el/maps/NOEACZy/WNKSECam9	12269	TYPOLOGY-B	MCGH/2024/128	PARK	UNIPOLE (BOTH SIDE FACE)	10.0 X 5.0	50	12200	14593	292	14593	52536	ID	INSTAL ALL STRUCTURE FACILITY REQUIRED
117		1	3	https://goo.g/maps/HEqs1]18G69PNMUHE	12268	TYPOLOGY-B	MCGH/2024/129	PARK		10.0 X 5.0	50	12200	14593	292	14593	52536	AS PER ATTACHED IN PORTAL ID	OMD SITE WITHOUT UNIPOLE, AGENCY SHOULD INSTAL ALL STRUCTURE FACILITY REQUIRED
118	MCGH/2024/130 - SWARAN JAYANTI PARK (IN SIDE PARK)	3	3	https://gop.el/maps/owhunServZ710WBN9	12267	TYPOLOGY-B	MCGH/2024/130	PARK	UNIPOLE (BOTH SIDE FACE)	10.0 X 5.0	50	12200	14593	292	14593	52536	AS PER ATTACHED IN PORTAL ID	OMD SITE WITHOUT UNIPOLE, AGENCY SHOULD INSTAL ALL STRUCTURE FACILITY REQUIRED
119	MCGH/2024/131 - JAWAHAR LAL NEHRU PARK (IN SIDE PARK)	4	6	https://goo.gl/maps/7LM2p4CinKMsb5	12266	TYPOLOGY-B	MCGH/2024/131	PARK	UNPOLE (BOTH SIDE FACE)	10.0 X 5.0	50	12200	14593	292	14593	52536	AS PER ATTACHED IN PORTAL ID	OMD SITE WITHOUT UNIPOLE, AGENCY SHOULD INSTAL ALL STRUCTURE FACILITY REQUIRED
120	MCGH/2024/132 - JAWAHAR LAL NEHBU PARK (IN SIDE PARK)	4	6	https://goo.gi/maps/R3F9usZ0WurwYuSQ3	12265	TYPOLOGY-B	MCGH/2024/132	PARK	UNPOLE (BOTH SIDE FACE)	10.0 X 5.0	50	12200	14593	292	14593	52536	AS PER ATTACHED IN PORTAL	OMD SITE WITHOUT UNIPOLE, AGENCY SHOULD
121	MCGH/2024/123- IAWAHAR LAL NEHRU PARK (IN SIDE PARK)	4	6	https://eco.el/mags/bk8X12H1Y9wsVPH8	12264	TYPOLOGY-B	MCGH/2024/133	PARK	UNIPOLE (BOTH SIDE FACE)	10.0 X 5.0	50	12200	14593	292	14593	52536	AS PER ATTACHED IN PORTAL	INSTAL ALL STRUCTURE FACILITY REQUIRED OND SITE WITHOUT LINIPOLE, AGENCY SHOULD INSTAL ALL STRUCTURE FACILITY REQUIRED.
122	MCGH/2024/134 - CHANDER SHEKHAR AZAD PARK (IN SIDE PARK)	Ť	-		12263	TYPOLOGY-8	MCGH/2024/134		UNIPOLE (BOTH SIDE FACE)	10.0×5.0	50	17300	20694	414	20594		AS PER ATTACHED IN PORTAL	
	MCGH/2024/135 - CHANDER SHEKHAR AZAD PARK (IN SIDE PARK)	4	12	Abdress of the second s				PARK	UNIPOLE (BOTH SIDE FACE)								AS PER ATTACHED IN PORTAL	OMD SITE WITHOUT UNIPOLE, AGENCY SHOULD INSTAL ALL STRUCTURE FACILITY REQUIRED
123	MCGH/2024/136 - SHAHEED MADAN LAL DHINGRA STADIUM (IN SIDE STADIUM)	4	12	https://goo.gl/maps/un7TV2vMSdS33w94A	12262	TYPOLOGY-B	MCGH/2024/135		UNIPOLE (FRONT SIDE FACE)	10.0 X 5.0	50	17300	20694	414	20694	74498	ID	OMD SITE WITHOUT UNIPOLE, AGENCY SHOULD INSTAL ALL STRUCTURE FACILITY REQUIRED
124		4	9	https://eox.st/maps/pfNrXVGsSWigcapfE	12261	TYPOLOGY-B	MCGH/2024/136	PARK		10.0 X 5.0	50	17300	20694	414	20694	76498	AS PER ATTACHED IN PORTAL ID	OMD SITE WITHOUT UNIPOLE, AGENCY SHOULD INSTAL ALL STRUCTURE FACILITY REQUIRED
125	MCGH/2024/137 - SHAHEED MADAN LAL DHINGRA STADIUM (IN SIDE STADIUM)	4	9	https://epo.gl/maps/ShallsZeb/KNXppf100	12260	TYPOLOGY-B	MCGH/2024/137	PARK	UNIPOLE (FRONT SIDE FACE)	10.0 X 5.0	50	17300	20694	414	20694	76038	AS PER ATTACHED IN PORTAL ID	OMD SITE WITHOUT UNIPOLE, AGENCY SHOULD INSTAL ALL STRUCTURE FACILITY REQUIRED
126	MCGH/2024/13E - SHAHEED MADAN LAL DHINGRA STADIUM (IN SIDE STADIUM)	4	,	https://goo.gl/maps/35j84MdDTQipTBfc8	12259	TYPOLOGY-8	MCGH/2024/138	PARK	UNIPOLE (FRONT SIDE FACE)	10.0 X 5.0	50	17300	20694	414	20694	74498	AS PER ATTACHED IN PORTAL ID	OMD SITE WITHOUT UNIPOLE, AGENCY SHOULD INSTAL ALL STRUCTURE FACILITY REQUIRED
127	MCGH/2024/139 - SECTOR - 7 PARK (IN SIDE PARK)	2	17	https://goo.gl/mass/fbldfw/bcclsswfd7	12258	TYPOLOGY-B	MCGH/2024/139	PARK	UNIPOLE (BOTH SIDE FACE)	10.0 X 5.0	50	35000	41866	837	41866	150718	AS PER ATTACHED IN PORTAL	OMD SITE WITHOUT UNIPOLE, AGENCY SHOULD INSTAL ALL STRUCTURE FACILITY REQUIRED
128	MCGH/2024/140 - SECTOR - 7 PARK (IN SIDE PARK)	2	17	https://epo.el/maps/4N3UfkGbvASCLaHdB	12257	TYPOLOGY-B	MCGH/2024/140		UNIPOLE (BOTH SIDE FACE)	10.0×5.0	50	35000	41866	837	41866	150718	AS PER ATTACHED IN PORTAL	OND SITE WITHOUT UNIPOLE AGENCY SHOULD
-	MCGH/2024/141 - SECTOR - 7 PARK (IN SIDE PARK)		-						UNIPOLE (BOTH SIDE FACE)								AS PER ATTACHED IN PORTAL	INSTAL ALL STRUCTURE FACILITY REQUIRED
129	MCGH/2024/142 - SECTOR - 7 PARK (IN SIDE PARK)	2	17	https://goo.gl/maps/pileusMCcKaxUVSQPS	12256	TYPOLOGY-B	MCGH/2024/141		UNIPOLE (BOTH SIDE FACE)	10.0 X 5.0	50	35000	41866	837	41866	150718	ID	OMD SITE WITHOUT LINIPOLE, AGENCY SHOULD INSTAL ALL STRUCTURE FACILITY REQUIRED
130		2	17	https://eoo.el/maps/byGYTwel/SUcaliPcB2	12255	TYPOLOGY-B	MCGH/2024/142	PARK		10.0 X 5.0	50	35000	41866	837	41866	150718	AS PER ATTACHED IN PORTAL ID	OMD SITE WITHOUT UNIPOLE, AGENCY SHOULD INSTAL ALL STRUCTURE FACILITY REQUIRED
131	MCGH/2024/143 - SECTOR - 7 PARK (IN SIDE PARK)	2	17	https://eoo.el/maps/LaHGuSPuS2YERus79	12254	TYPOLOGY-B	MCGH/2024/143	PARK	UNIPOLE (BOTH SIDE FACE)	10.0 X 5.0	50	35000	41866	837	41866	150718	AS PER ATTACHED IN PORTAL ID	OMD SITE WITHOUT UNIPOLE, AGENCY SHOULD INSTAL ALL STRUCTURE FACILITY REQUIRED
132	MCGH/2024/144 - SECTOR - 7 PARK (IN SIDE PARK)	2	17	https://goo.gl/maps/McKs/M4prwWEBNes/S	12253	TYPOLOGY-B	MCGH/2024/144	PARK	UNPOLE (BOTH SIDE FACE)	10.0 X 5.0	50	35000	41866	837	41866	150718	AS PER ATTACHED IN PORTAL ID	OMD SITE WITHOUT UNIPOLE, AGENCY SHOULD INSTAL ALL STRUCTURE FACILITY REQUIRED
133	MCGH/2024/145 - SECTOR - 7 PARK (IN SIDE PARK)	2	17	https://goo.gl/maps/nbn/WibshagK572xx7	12252	TYPOLOGY-B	MCGH/2024/145	PARK	UNIPOLE (BOTH SIDE FACE)	10.0 X 5.0	50	35000	41866	837	41866	150718	AS PER ATTACHED IN PORTAL	OMD SITE WITHOUT UNIPOLE, AGENCY SHOULD
134	MCGH/2024/146 - SECTOR - 7 PARK (IN SIDE PARK)	2	17	https://eop.el/mass/513edsm2rGsfr1Gs/5	12251	TYPOLOGY-B	MCGH/2024/146	DARK	UNIPOLE (BOTH SIDE FACE)	10.0 X 5.0	50	35000	41866	837	41866	150718	AS PER ATTACHED IN PORTAL	OMD SITE WITHOUT UNIPOLE, AGENCY SHOULD
135	MCGH/2024/147 - SECTOR - 7 PARK (IN SIDE PARK)		_						UNIPOLE (BOTH SIDE FACE)								AS PER ATTACHED IN PORTAL	INSTAL ALL STRUCTURE FACILITY REQUIRED OMD SITE WITHOUT UNIPOLE, AGENCY SHOULD
	MCGH/2024/148 - SECTOR - 7 PARK (IN SIDE PARK)	2	17	https://goo.gl/maps/CmWwyssSQdmgX8ft7	12250	TYPOLOGY-B	MCGH/2024/147	PARK	UNIPOLE (BOTH SIDE FACE)	10.0 X 5.0	50	35000	41866	837	41866	150718	ID	INSTAL ALL STRUCTURE FACILITY REQUIRED
136		2	17	https://eco.el/maos/Ne/2017/nKof1Fa4wG	12249	TYPOLOGY-B	MCGH/2024/148	PARK		10.0 X 5.0	50	35000	41866	837	41866	150718	AS PER ATTACHED IN PORTAL ID	OMD SITE WITHOUT UNIPOLE, AGENCY SHOULD INSTAL ALL STRUCTURE FACILITY REQUIRED
137	MCGH/2024/149 - RAILWAY PARK, WARD NO. 7 (IN SIDE PARK)	4	7	https://eco.pl/maps/NZ1kVFWIrSEp66vB	12248	TYPOLOGY-B	MCGH/2024/149	PARK	UNPOLE (BOTH SIDE FACE)	10.0 X 5.0	50	11000	15550	311	15550	55981	AS PER ATTACHED IN PORTAL ID	OMD SITE WITHOUT UNIPOLE, AGENCY SHOULD INSTAL ALL STRUCTURE FACILITY REQUIRED
138	MCGH/2024/15G - 3YOTIBA PHOOLE PARK (IN SIDE PARK)	1	10	https://eco.gl/maps/9GealsNsGVTtTX2X8	12247	TYPOLOGY-B	MCGH/2024/150	PARK	UNPOLE (BOTH SIDE FACE)	10.0 X 5.0	50	11000	15550	311	15550	55981	AS PER ATTACHED IN PORTAL ID	OMD SITE WITHOUT UNIPOLE, AGENCY SHOULD INSTAL ALL STRUCTURE FACILITY REQUIRED
139	MCGH/2024/151 - 3YOTIBA PHOGLE PARK (IN SIDE PARK)	1	10	https://goo.gl/maps/lm/sENSWWAAA/skpl.7	12246	TYPOLOGY-B	MCGH/2024/151	PARK	UNPOLE (BOTH SIDE FACE)	10.0 X S.O	50	11000	15550	311	15550	55981	AS PER ATTACHED IN PORTAL	OMD SITE WITHOUT UNIPOLE, AGENCY SHOULD INSTAL ALL STRUCTURE FACILITY REQUIRED
	TOTAL PER MONTH										3245.1				1769874	6371548	-	
_	-	_		1				-				тот	AL FOR ON	IE YEAR	21238494			
																	•	